



RESIDENTIAL GAS PRESSURE TEST REQUIREMENTS
CITY OF NOVI
Community Development Department
(248) 347-0415

MECHANICAL CONTRACTORS

Please read: The tested pressure must be included

All gas piping in residential buildings will require a permit for the installation.

The inspection of the gas piping system will take place on the final inspection of the Mechanical equipment in the building.

The exception is the need for a rough inspection: If the work is being covered up.
NO Rough plumbing will be approved unless gas piping is installed in areas such as walls or upper floors.

Please call me or the other mechanical inspectors for any questions you may have.

PLEASE DO NOT ASK THE CLERKS QUESTIONS ABOUT THIS ISSUE!!!!

The enclosed gas pressure affidavit is to be filled out with a minimum pressure of 20 lbs. and notarized.

This affidavit must be signed by the contractor of record.

The Clerks are notaries and this can be done in our office.

A fax is not acceptable as a legal document.

AGAIN A FAX WILL NOT BE ACCEPTED.



**AFFIDAVIT
RESIDENTIAL GAS PRESSURE TEST
CITY OF NOVI
Community Development Department
(248) 347-0415**

Date: _____ **Gas piping Permit #:** _____

Address: _____ **Lot #** _____

I hereby certify that the complete gas piping system, including all the piping from the gas meter , the main and all branches up to the appliance connections, has **been air pressure tested to _____ pounds (must be at least 20lbs.)** and that the piping is found to be free of leaks and defective materials and the system is safe to operate.

Company Name (Print): _____

Licensed Contractors name (Print): _____

License #: _____

Contractor of Record (Sign): _____

Address: _____

Phone number: _____ **FAX #:** _____

STATE OF MICHIGAN)
)ss.
COUNTY OF OAKLAND)

Subscribed and sworn to before me this _____ day
of _____

County, Michigan

Notary Public

My Commission Expires: _____